Panasonic

KX-NT Series
KX-DT Series
KX-UT Series







Panasonic Terminals MAIN FEATURES

HD Voice

Enables calls with an HD voice quality (G.722 support) that makes it seem like you're speaking face to face with the other party.

Full Duplex Speaker Phone

Enables you and the other party to hear each other's voice clearly, even if you speak at the same time.

Gigabit Ethernet Port / PoE

Supports PoE. No AC adaptor is required if you have a power supply.

Backlight LCD Display

Clear text and information are easy to see.

Self Labeling CO Buttons

Registered numbers can be displayed, making it easy both to call and to make changes.

Electronic Hook Switch(EHS) **Support**

Wireless communication is possible by connecting an EHS headset to the EHS jack.

YOU Choose from three series of terminals to match your office style. Regardless of the one you select, you'll enjoy the same elegant, easy-to-use Panasonic performance. WOOKSTYLE.

Make your business go faster and smoother.



▶ **IP** proprietary terminal

► **DIGITAL** proprietary terminal

► SIP telephone



The KX-NT Series helps you to break away from your desk and reduce your cabling costs. The powerful flexibility of the NT Series allows team members to be located locally or remotely.



The KX-DT500 Series delivers advanced productivity features, options and a system telephone directory. They are designed to be a cost-effective choice for any business.



The KX-UT Series are smart terminals, having unique features with specific applications in mind.

KX-NT Series

For all businesses that require advanced communication

KX-NT500 Series IP telephones take you to a new dimension of sound with excellent HD-quality audio on every phone, combined with easy access to powerful support features. The sleek, modern design, works well with any office decor or remote office.



 Self-Labeling Flexible CO Buttons with Backlight LCD Display



• High Definition "HD" Audio

PROG

Full Duplex Speakerphone







 Integrated Bluetooth®

201:

201

TANDER

JIM SHAF

PROG

19 OC



2 Gigabit Ethernet Port/PoE



KX-NT Series Key Features

- HD Voice
- Large Display with Backlight
- Full Duplex
 Speakerphone
- Self-Labeling Flexible CO Button
- Gigabit Ethernet
- EHS Support
- PoE
- Built-in Bluetooth®

*Some functions are not supported by some models.



► KX-NT560

- HD Voice
- 4.4 inch Backlight LCD Display
- 4 x 8 Self-Labelling Flexible CO Buttons
- Full Duplex Speakerphone
- 2 Gigabit Ethernet Port/ PoE
- EHS Support
- Built-in Bluetooth®



KX-NT556

• HD Voice

- 6-Line Backlight LCD Display
- 12 x 3 Self-Labelling Flexible CO Buttons with Backlight LCD Display
- Full Duplex Speakerphone
- 2 Gigabit Ethernet/PoE
- EHS support



KX-NT553

• HD Voice

- 3-Line Backlight LCD Display
- 12 x 2 Self-Labelling Flexible CO Buttons with Backlight LCD Display
- •Full Duplex Speakerphone
- •2 Gigabit Ethernet/PoE
- •EHS support



► KX-NT551

- HD Voice
- 1-Line Backlight LCD Display
- 8 Flexible CO Buttons
- •Full Duplex Speakerphone
- •2 Gigabit Ethernet/PoE





- HD Voice
- 6-Line (KX-NT546) or 3-Line (KX-NT543) Backlight LCD Display
- 24 Flexible CO Buttons
- Speakerphone
- 2 Ethernet/PoE • EHS support
- _____





- HD Voice
- 1-Line LCD Display
- 3 Flexible CO Buttons
- Full Duplex Speakerphone
- 2 Ethernet Port
- PoE(KX-NT511P)
- Included AC Adaptor(KX-NT511A)

Option

► KX-NT505

- Add-on 48-Key Module
- For KX-NT556/NT553 only





High-quality communication with high cost-performance

The KX-DT500 Series helps to boost office productivity with features like CO buttons for advanced communication functions and convenience, and a Full Duplex Speakerphone. They are designed to be a cost-effective choice for any business.



• Full Duplex Speakerphone



• 24 Flexible CO Buttons





Panas

INFO

KX-DT Series Key Features

- Full Duplex Speakerphone
- Large Display with Backlight
- Flexible CO Button
- EHS Support
- * Some functions are not supported by some models.



► KX-DT546

- 6-Line Backlight LCD Display
- 24 Flexible CO Buttons
- Full Duplex Speakerphone
- EHS Support



► KX-DT543

- 3-Line Backlight LCD Display
- Full Duplex Speakerphone
- 24 Flexible CO Buttons
- EHS support



► KX-DT521

- 1-Line Backlight LCD Display
- 8 Flexible CO Buttons
- Full Duplex Speakerphone

► KX-DT590

- Digital DSS Console (48-Key) For KX-DT546/DT543/DT521 only





Linking to applications for optimal communication


The Panasonic KX-UT670 smart desk phone is a Linux based, programmable SIP desk phone with an extensive feature set.

The UT Series boasts HD-quality audio on every phone and PoE support.

The UT Series is also ideal for use in remote offices and call centres.

- 7 inch Colour Touch Screen
- 4 x 6 Self-Labelling Flexible CO Buttons





- Network Camera Integration
- Application Development



- High Definition "HD" Audio
- Full Duplex Speakerphone





Speakerphone

*Some functions are not supported by some models.



► KX-UT670

- Network Camera Integration
- Application Development
- HD Voice
- 7 inch Colour LCD Touch Screen
- 4 x 6 Self-Labelling Flexible
- Full Duplex Speakerphone
- 2 Gigabit Ethernet Port/PoE
- EHS Support



KX-UT248

- HD Voice • 4.4 inch Backlight LCD Display
- 3 x 8 Self-Labelling, Flexible CO Buttons
- Full Duplex Speakerphone
- 2 Gigabit Ethernet/PoE
- EHS support
- Built-in Bluetooth for Headset



► KX-UT136

- HD Voice
- 6-Line Backlight LCD Display
- 24 Flexible CO Buttons
- Speakerphone
- 2 Ethernet/PoE
- EHS support



► KX-UT133

- HD Voice • 3-Line Backlight LCD Display
- 24 Flexible CO Buttons
- Speakerphone
- 2 Ethernet/PoE
- EHS support



KX-UT123

- HD Voice
- 3-Line Backlight LCD Display
- Speakerphone
- 2 Ethernet/PoE



KX-UT113

- HD Voice
- 3-Line LCD Display
- Speakerphone
- 1 Ethernet/PoE

Terminal Comparison

		IP proprietary terminal									
		KX-NT560	KX-NT556	KX-NT553	KX-NT551	KX-NT546	KX-NT543	KX-NT511P	KX-NT511A		
Main LCD Display (Lines/Characters)		4.4 inch	6/24	3/24	1/16	6/24	3 / 24	1/16	1/16		
LCD Backlight		Yes	Yes	Yes	Yes	Yes	Yes	_	_		
Flexible CO Keys		4×8	3 × 12	2 × 12	8	24	24	3	3		
Self-Labelling		Yes	Yes	Yes	_	_	_	_	_		
Navigator Keys		Yes	Yes	Yes	Yes	Yes	Yes	_	_		
Soft Keys		4	4	4	_	4	4	_	_		
Call Log Incoming/ Outgoing Calls		Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	- / -	- / -		
Ethernet Port		2 - Port[GbE] (10/100/1000Mbps)	2 - Port[GbE] (10/100/1000Mbps)	2 - Port[GbE] (10/100/1000Mbps)	2 - Port[GbE] (10/100/1000Mbps)	2 - port (10/100Mbps)	2 - port (10/100Mbps)	2 - port (10/100Mbps)	2 - port (10/100Mbps)		
Power over Ethernet (PoE)		Yes	Yes	Yes	Yes	Yes	Yes	Yes	_		
AC Adaptor		Option	Option	Option	Option	Option	Option	_	Included		
Speakerphone		Yes (Full Duplex)	Yes (Full Duplex)	Yes (Full Duplex)	Yes (Full Duplex)	Yes	Yes	Yes (Full Duplex)	Yes (Full Duplex		
Headset Port		Yes	Yes	Yes	Yes	Yes	Yes	_	_		
Electric Hook Switch (EHS)*1		Yes	Yes	Yes	-	Yes	Yes	-	_		
Built-in Bluetooth®		Yes	_	_	_	_	_	_	_		
Eco Mode		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes		
Wall Mountable		Option	Option	Option	Option	Option	Option	Yes	Yes		
Dimension (mm)*2	High Position	267×170×180	267×170×180	267×170×180	205×160×170	267×170×180	267×170×180	175×159×171	175×159×171		
(Width × Depth: Height)	Low Position	267×187×155	267×187×155	267×187×155		267×187×155	267×187×155				
Weight (g)*3		1150	1150	1180	840	1130	1110	690	730		
Color		Black, White	Black, White	Black, White	Black, White	Black, White	Black, White	Black, White	Black, White		
					Option						
Module	KX- NT505	_	Yes	Yes	_	_	_	_	_		
Digital DSS console	KX- DT590	_	_	_	_	_	_	_	_		

^{*1} The KX-NT546/543 and UT Series are compatible with Plantronics devices, and all other terminals are compatible with both Jabra and Plantronics devices.
*2 Including handset and stand. *3 Including handset, handset cord and stand.

Digita	l proprietary ter	minal		SIP telephone						
KX-DT546	KX-DT543	KX-DT521	KX-UT670	KX-UT248	KX-UT136	KX-UT133	KX-UT123	KX-UT113		
6/16	3/16	1/16	7 inch colour touch display	4.4 inch	6/24	3/24	3/24	3/24		
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-		
24	24	8	4×6	3×8	24	24	_	_		
_	_	_	Yes	Yes	_	-	_	_		
Yes	Yes	– (4-Directions Key)	-	Yes	Yes	Yes	Yes	Yes		
4	4	-	_ (Touch Panel)	4	4	4	4	4		
Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes		
_	_	_	2 - Port[GbE] (10/100/1000Mbps)	2 - Port[GbE] (10/100/1000Mbps)	2 - port (10/100Mbps)	2 - port (10/100Mbps)	2 - port (10/100Mbps)	1 - port (10/100Mbps)		
-	_	-	Yes	Yes	Yes	Yes	Yes	Yes		
-	_	_	Option	Option	Option	Option	Option	Option		
Yes (Full Duplex)	Yes (Full Duplex)	Yes (Full Duplex)	Yes (Full Duplex)	Yes (Full Duplex)	Yes	Yes	Yes	Yes		
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes		
Yes	Yes	-	Yes	Yes	Yes	Yes	-	-		
_	_	_	_	Yes	_	_	_	_		
-	_	-	-	Yes	Yes	Yes	Yes	Yes		
Option	Option	Option	Option	Option	Option	Option	Option	Option		
267×170×180	267×170×180	005 1/0 170	270×180×220	267×170×180	267×170×180	267×170×180	- 205×160×170	205×160×170		
267×187×155	267×187×155	205×160×170	270×192×170	267×187×155	267×187×155	267×187×155				
1090	1070	810	1300	1130	1120	1120	870	860		
Black, White	Black, White	Black, White	Black	Black, White	Black, White	Black, White	Black, White	Black, White		
				Option						
-	_	_	-	-	_	-	-	-		
Yes	Yes	Yes	-	_	_	-	_	_		

Trademarks and registered trademarks

-The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Panasonic Corporation is under licence. Other trademarks and trade names are those of their respective owners.

Important

 $\hbox{-Safety Precaution: carefully read the operating instructions and installation manual before using these products.}\\$

- Some models will be available to limited countries.
- The images shown of base unit display and lamps are composite images.
- Weights and dimensions are approximate.
- Design and specification subject to change without notice.
- \bullet These products may be subject to export control regulations.

DISTRIBUTED BY:

