

## DS-2CE72KF3T

### 600萬類高全彩帶聲音半球型攝影機



- 2百萬畫素 · 1920 × 1080 解析度
- 出色的弱光性能
- 採用 130dB 真實寬動態技術可以在強光下清晰成像
- 3D數位降噪技術可提供清晰的影像
- 2.8、3.6mm 定焦鏡頭
- 智慧補光 · 白光距離40公尺
- IP67 防水等級
- 24/7 彩色成像 · F1.0 光圈





## ▪ 系統

影像	
影像傳感器	1/1.8" 3K CMOS
信號系統	PAL/NTSC
最大解析度	2960 (H) × 1665 (V)
最大照明	0.0003Lux @ (F1.0,AGC ON), 0 Lux 白光
快門時間	PAL: 1/25 s to 1/50,000 s;NTSC: 1/30 s to 1/50,000 s
燈光警報	常亮警報 ( 白光 )
角度調整	水平: 0° to 360°, 垂直: 0° to 75°, 對角: 0° to 360°
鏡片	
鏡頭類型	2.8 mm,3.6 mm 定焦鏡頭
焦距和視角	2.8 mm, 水平 FOV: 112°, 垂直 FOV: 60°, 對角 FOV: 133° 3.6 mm, 水平 FOV: 95°, 垂直 FOV: 50°, 對角 FOV: 115°
鏡頭卡口	M16
影像	
幀率	3K@20fps, 4MP@25fps/30fps, 1080p@25fps/30fps
寬動態範圍 (WDR)	≥130 dB
白光	自動/關
圖像參數切換	標準/高飽和度/高光
自動增益控制	是
日夜模式	彩色
白平衡	自動/戶外/全球/手動
影像增強	WDR,BLC,HLC,全球,HLS
隱私	4 個可編程隱私介面
降噪	3D DNR/2D DNR
影像設置	亮度、對比度、鏡面、智能燈、防條帶
介面	
影像輸出	1個高清模擬輸出
事件	
運作檢測	4 個可編程運作區域
結構	
語言	英語
運作條件	-40°C ~ 50°C (-40°F ~ 122°F), 濕度: 90% 或更低 (非冷凝)
電源	12 VDC ± 25%
耗能	最大 5.3 W
材質	主體: 金屬 · 外殼: 塑膠
白光範圍	最長 40 m
溝通	海康威視-C
尺寸	Φ 109.98 mm × 98.27 mm (Φ 4.33" × 3.87")
重量	約 350 g (0.77 lb.)
防護	
防水系數	IP67

▪ 可用型號



DS-2CE72KF3T

▪ 尺寸



▪ 附件

▪ 可選

<p>DS-1281ZJ-S 傾斜天花板安裝</p>	<p>DS-1280ZJ-S 接線盒</p>	<p>DS-1276ZJ-SUS 角落安裝</p>	<p>DS-1272ZJ-110-TRS 壁掛式安裝</p>	<p>DS-1275ZJ-SUS 立柱式安裝</p>
				
				

Distributed by

**HIKVISION®****Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Australia**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision Canada**  
T +1-866-200-6690  
sales.canada@hikvision.com

**Hikvision Thailand**  
T +662-275-9949  
sales.thailand@hikvision.com

**Hikvision Europe**  
T +31-23-5542770  
sales.eu@hikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision Brazil**  
T +55 11 3318-0050  
Latam.support@hikvision.com

**Hikvision Turkey**  
T +90 (216)521 7070- 7074  
sales.tr@hikvision.com

**Hikvision Malaysia**  
T +601-7652-2413  
sales.my@hikvision.com

**Hikvision UK & Ireland**  
T +01628-902140  
sales.uk@hikvision.com

**Hikvision South Africa**  
Tel: +27 (10) 0351172  
sale.africa@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-450  
info.fr@hikvision.com

**Hikvision Kazakhstan**  
T +7-727-9730667  
nikia.panfilov@hikvision.ru

**Hikvision Vietnam**  
T +84-974270888  
sales.vt@hikvision.com

**Hikvision UAE**  
T +971-4-4432090  
salesme@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Tashkent**  
T +99-87-1238-9438  
uzb@hikvision.ru

**Hikvision Hong Kong**  
T +852-2151-1761  
info.hk@hikvision.com

**Hikvision Russia**  
T +7-495-669-67-99  
sateru@hikvision.com

**Hikvision Korea**  
T +82-(0)31-731-8817  
sales.korea@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
info.pl@hikvision.com

**Hikvision Indonesia**  
T +62-21-2933759  
Sales.Indonesia@hikvision.com

**Hikvision Colombia**  
sales.colombia@hikvision.com